

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	("5204966" or "5394471" or "5944825").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:16
S2	96	("6249868" "4951249" "4959860" "5012514" "5537544" "5931948" "5963908" "6209104" "6216183" "6216183" "6240519" "6393484" "4486853" "4771462" "4805222" "4891838" "4926481" "5018096" "5060263" "5177789" "5265163" "5267149" "5363446" "5375243" "5406624" "5425102" "5430827" "5432851" "5448045" "5450524" "5535409" "5606614" "5623597" "5655020" "5682475" "5748888" "5781793" "5812762" "5821933" "5832214" "5836010" "5859968" "5877483" "5887140" "5901211" "5905861" "5911042" "5923841" "5940799" "5949882").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:16
S3	96	S2 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:17
S4	84	S3 and (passcode or password or pin or passphrase)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:31
S5	4812	713/182-184,200,202.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:31
S6	3119	S5 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:15

S7	811	S6 and ((passcode or password or pin or passphrase) with (updat\$3 or chang\$3 or set or setting))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:33
S8	202	S7 and ((passcode or password or pin or passphrase) with (analyz\$3 or policy or algorithm or rule or quality))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:34
S9	3	S8 and ((passcode or password or pin or passphrase) with (trivial))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:34
S10	16	S8 and ((passcode or password or pin or passphrase) with (trivial or ((easy or easily) with (guess\$3 or determin\$3 or crack\$3))))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:42
S11	0	(determin\$3 or analyz\$3 or algorithm) near ((passcode or password or pin or passphrase) with (trivial or ((easy or easily) with (guess\$3 or determin\$3 or crack\$3))))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:43
S12	1047	((passcode or password or pin or passphrase) with (trivial or ((easy or easily) with (guess\$3 or determin\$3 or crack\$3))))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:44
S13	632	S12 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:46
S14	5	S13 and (keyboard with (profile or layout or scheme))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:44

S15	336	S13 and ((update\$3 or chang\$3 or set or setting) with (password or pin or passcode or passphrase))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 09:47
S16	30	S15 and ((propos\$3 or desir\$3) with (password or pin or passcode or passphrase))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:05
S17	2920	((acceptabl\$5 or trivial\$3) with (password or pin or passcode or passphrase))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:06
S18	2027	S17 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:06
S19	341	S18 and ((determin\$3 or analyz\$3) with (acceptabl\$5 or trivial\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:07
S20	16	S6 and (keyboard with (profile or layout or scheme))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:18
S21	4268	(keyboard with (profile or layout or scheme))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:19
S22	3101	S21 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:32

S23	1601	S22 and (row or horizontal or ("x" adj (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:20
S24	1289	S23 and (column or vertical or ("y" adj (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:20
S25	209	S24 and database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:20
S26	23	S22 and (keyboard adj profile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:32
S27	2	S22 and ((keyboard adj (profile or layout)) with database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:33
S28	47	((passcode or password or passphrase or pin) with (weak or trivial) with (filter\$3 or determin\$3 or analyz\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 11:26
S29	23	S28 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 11:52
S30	18	trivial adj (passcode or password or passphrase or pin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:43

S31	8	S30 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 11:53
S32	108	trivial with (passcode or password or passphrase or pin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:43
S33	60	S32 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 15:43
S34	13	((passcode or password or pin or passphrase) with (divers\$3 with (keystroke or pattern)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:21
S35	9	S34 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:20
S36	239	((passcode or password or pin or passphrase) with ((divers\$3 or random) with (keystroke or pattern)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:21
S37	169	S36 and @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:21